markilux 75

The patented side blind. Prevents inquisitive glances, protects against low-lying sun and light wind. The markilux that opens up into much more than it seems

markilux

General Information
markilux Collection
Specification
markilux ES-1
markilux 6000
markilux 5010
markilux 3300 / 3300 pur
markilux 990
markilux 1200
markilux 1200 stretch
markilux 1500
markilux 1550
markilux 1600
markilux 1600 stretch
markilux 1600 pavilion 2
markilux 1650
markilux 930 swing
markilux 1000
markilux 1000 stretch
markilux 1100
markilux 1300
markilux 1300 stretch
markilux 790
markilux 75
Optional Accessories
Technical Information
Fitting Accessories



markilux 75

The patented side blind. Prevents inquisitive glances, protects against low-lying sun and light wind. The markilux that opens up into much more than it seems

Design features

- when retracted the cover is protected from the weather by the cassette, which encloses it completely
- slim cassette, only 60 mm x 60 mm in size
- for long-lasting attractiveness the awning has been powder coated
- one-piece covers made from widely woven, plain awning fabrics make it possible to do away with seams entirely

Technical highlights

- the cover can be extended continuously up to a maximum drop of 200 cm so allowing the ideal degree of privacy and sun protection
- when not in use, the cassette is simply folded down and fixed inconspicuously against the wall
- with locking mechanism to prevent the screen rolling up unintentionally in a gust of wind

retracted, folded down

face fixture bracket, closed position



face fixture bracket with screen locked in place



eyelets for individual fixture of the cover

locking mechanism to secure it against wind

Standard specification

- face fixture
- eyelets to attach the bottom of the cover to the ground
- sunsilk snc fabric
- sunsilk snc signature fabric
- acrylic fabric 34
- widely woven acrylic fabric
- perfotex fabric
- transolair fabric

Standard frame colours

- traffic white - RAL 9016

Optional accessories

- special powder-coated finish

General Information
markilux Collection
Specification
markilux ES-1
markilux 6000
markilux 5010
markilux 3300 / 3300 pur
markilux 990
markilux 1200
markilux 1200 stretch
markilux 1500
markilux 1550
markilux 1600
markilux 1600 stretch
markilux 1600 pavilion 2
markilux 1650
markilux 930 swing
markilux 1000
markilux 1000 stretch
markilux 1100
markilux 1300
markilux 1300 stretch
markilux 790
markilux 75
Optional Accessories
Technical Information
Fitting Accessories

Dimensions and configuration options

	screen width	
unit height	128	170
200		

dimensions in cm

= available, cover width 120 cm

= available, cover width 162 cm

Covers	
sunsilk snc (fabric series 324xx/329xx)	●[1]
sunsilk snc signature (fabric series 369xx)	●[1]
acrylic 34 (fabric series 341xx-347xx)	●[1]
widely woven acrylic fabric (pattern no. 34918 flecked eggshell)	●[2]
widely woven acrylic fabric (fabric series 349xx)	●[3]
sunsilk perla FR (fabric series 374xx/379xx)	–
perfotex (fabric series 333xx)	●[1]
transolair fabric (pattern no. 33911, light yellow)	●[2]
transolair (fabric series 339xx)	●[3]
Soltis 92	–
PVC fabric	–

● = standard specification
○ = optional accessories
– = not available
[1] = at a cassette width of 128 cm: all fabrics from the markilux collection at a cassette width of 170 cm only widely woven fabrics in acrylic (fabric series 349xx) and transolair (fabric series 339xx) possible
[2] = available from stock
[3] = available to special order

Screen width definition: the screen width is measured with the screen unfolded from the end of the cassette to the wall.

Definition of the unit height: the unit height is measured with the screen unfolded from the top of the cassette to the bottom of the lath.

The width of the screen cover is always **less** than the width of the screen. For cover sizes please see the section "Housing Tolerances and Awning Cover Dimensions".

Programme: Standard specification (held in stock) - 6 pieces per delivery, bespoke specification (made to order) - individual delivery. Please consult the price list.

The stripes in patterned fabrics always run down the cover

Frame colours		
traffic white - RAL 9016		●
special powder-coated finish		○

* Colours similar to the RAL chart - these may differ slightly from those depicted in both hue and finish.

Installation dimensions

Dimension overview



AM		
M	1280	1700
TB	1200	1620
H	1430	1850
H1	1230	1650

dimensions in mm

M = overall screen width
TB = cover width
AH = unit height
AM = installation dimensions
H = cassette height including fixture bracket (retracted, folded down)
H1 = installation dimensions of the fixture bracket